Journal of Clinical Pharmacy and Therapeutics (1996) **21**, 431–433

AUTHOR INDEX

Adachi, K. *see* Sendo, T.
Allwood, M.C. & Martin, H.J. Long-term stability of cimetidine in total parenteral nutrition, 19
Aoyama, T. *see* Sendo, T.
Ashikari, Y. *see* Kuranari, M.
Aslam, M. *see* Frier, M.
Azar, M. *see* Azizabadi-Farahani, M.
Azizabadi-Farahani, M., Mirazi, N., Azar, M., Farsam, H. & Dehpour, A.R. The effect of concomitant use of neuroleptic drugs and lithium on the erythrocyte/plasma lithium ratio in Iranian patients with bipolar disorder, 3

Bacaltchuk, J. *see* de Oliveira, I.R.
Baines, D.L., Tolley, K.H. & Whynes, D.K. The costs of prescribing in dispensing practices, 343
Barnes, A.R. Near-patient stability studies, 49
Barrueco, M. *see* Otero, M.J.
Beevers, D.G. *see* Gibbs, C.R.
Bergendal, L. *see* Carlsten, A.
Bergin, J.K. *see* Peterson, G.M.
Braybrook, S. & Walker, R. Influencing prescribing in primary care: a comparison of two different prescribing feedback methods, 247
Brown, G. *see* Wong, J.
Bruckert, E., Giral, P., Heshmati, H.M. & Turpin, G. Men treated with hypolipidaemic drugs complain more frequently of erectile dysfunction, 89
Brunet, C. *see* Delval, F.
Brunet, C. *see* Odou, P.
Buchwald, D. *see* Weigle, D.S.
Burgaz, S., Torun, M., Yardim, S., Sargin, H., Orman, M.N. & Özdamar, N.Y. Serum carotenoids and uric acid levels in relation to cancer, 331

Calvo, M.V. *see* Fdez de Gatta, M.M.
Campbell, W.I. Rectal controlled-release morphine: plasma levels of morphine and its metabolites following the rectal administration of MST Continus 100 mg, 65
Carlsten, A., Wennberg, M. & Bergendal, L. The influence of Rx-to-OTC changes on drug sales. Experiences from Sweden 1980–1994, 423
Cazin, J.C. *see* Delval, F.
Cazin, J.C. *see* Odou, P.
Cazin, M. *see* Delval, F.
Cazin, M. *see* Odou, P.
Chan, T.Y.K., Lee, K.K.C. & Critchley, J.A.J.H. The needs and sources of drug information among pharmacists in Hong Kong, 325
Cheah, S.Y., Clark, C., Goldberg, L., Li Wan Po, A. & Phillips, R. Outcome measures, pooled index and quality of life instruments in rheumatoid arthritis, 297
Chiba, S. *see* Kuranari, M.
Clark, C. *see* Cheah, S.Y.
Clark, W. Tacrolimus: immunosuppression following liver and kidney transplant, 135
Clark, W. Therapeutic advances: beta-interferon for multiple sclerosis, 195
Clark, W. & Kendall, M.J. Growth hormone treatment for growth hormone deficient adults, 367
Clark, W. & Kendall, M.J. Therapeutic advances: riluzole for the treatment of motor neurone disease, 373
Critchley, J.A.J.H. *see* Chan, T.Y.K.

Dardennes, R.M. *see* de Oliveira, I.R.
de Castro-e-Silva, E. *see* de Oliveira, I.R.
de Oliveira, I.R., de Sena, E.P., Pereira, E.L.A., Miranda, A.M.A., de Oliveira, N.F., Ribeiro, M.G., de Castro-e-Silva, E., Dardennes, R.M., Samuel-Lajeunesse, B. & Marcilio, C. Haloperidol blood levels and clinical outcome: a meta-analysis of studies relevant to testing the therapeutic window hypothesis, 229
de Oliveira, I.R., Miranda-Scippa, A.M.A., de Sena, E.P., Pereira, E.L.A., Ribeiro, M.G., de Castro-e-Silva, E. & Bacaltchuk, J. Risperidone versus haloperidol in the treatment of schizophrenia: a meta-analysis comparing their efficacy and safety, 349
de Oliveira, N.F. *see* de Oliveira, I.R.
de Sena, E.P. *see* de Oliveira, I.R.
Dehpour, A.R. *see* Azizabadi-Farahani, M.
Delval, F., Dine, T., Brunet, C., Luyckx, M., Gressier, B., Cazin, M., Cazin, J.C., Durocher, A. & Saulnier, F. Effect of dialysis on exogenous dopamine in haemodialysed critically ill patients, 165
Dine, T. *see* Delval, F.
Dine, T. *see* Odou, P.
Dominguez-Gil, A. *see* Fdez de Gatta, M.M.
Dominguez-Gil, A. *see* Otero, M.J.
Dorevitch, A. & Perl, E. The impact of clinical pharmacy intervention in a psychiatric hospital, 45
Downie, G. *see* Stewart, D.
Durocher, A. *see* Delval, F.
D'Urso, P. Abuse of Sertraline, 359
Dyker, A.G. & Lees, K.R. The rationale for new therapies in acute ischaemic stroke, 377

Eagles, C.J., Gulati, R. & Martin, U. Non-pharmacological modification of cardiac risk factors: part 1, 289
Eckhardt, L. *see* Souvignier, S.T.
Ekedahl, A. 'Open-ended questions' and 'show-and-tell'—a way to improve pharmacist counselling and patients' handling of their medicines, 95
Ellis, J. *see* Frier, M.

Farsam, H. *see* Azizabadi-Farahani, M.
Fdez de Gatta, M.M., Mendez, M.E., Romano, S., Calvo, M.V., Dominguez-Gil, A. & Lanao, J.M. Pharmacokinetics of amikacin in intensive care unit patients, 417
Ferner, R.E. *see* Gibbs, C.R.
Fontaine, B. *see* Odou, P.
Frier, M., Ellis, J. & Aslam, M. Stability of radiopharmaceuticals during administration to the intensive care patient, 149
Frimat, B. *see* Odou, P.

Galanti, L.M., Hecq, J.-D., Vanbeckbergen, D. & Jamart, J. Long-term stability of cefuroxime and cefazolin sodium in intravenous infusions, 185
Gibbs, C.R., Ferner, R.E. & Beevers, D.G. Angiotensin receptor antagonists—a new class of antihypertensive drug, 127

© 1996 Blackwell Science Ltd

Giral, P. *see* Bruckert, E.
Goldberg, L. *see* Cheah, S.Y.
Gressier, B. *see* Delval, F.
Gressier, B. *see* Odou, P.
Gulati, R. *see* Eagles, C.J.

Hamm, R.F. Social reform and violence: the case of the American prohibitionists, 131
Hecq, J.-D. *see* Galanti, L.M.
Heshmati, H.M. *see* Bruckert, E.
Hooton, T.M. *see* Weigle, D.S.

Jacobson, G.A. & Peterson, G.M. Prescribing trends for anti-asthma drugs in Tasmania following the National Asthma Campaign, 317
Jamart, J. *see* Galanti, L.M.

Karkos, C., Moore, A., Manche, A. & Thorpe, J.A.C. Pleural effusion associated with D-penicillamine therapy: a case report, 15
Kendall, M. *see* Rudd, J.H.F.
Kendall, M.J. *see* Clark, W.
Kilwein, J.H. My favourite Irishman, 191
Kilwein, J.H. On needles, breasts and bullets: health and the conflict of values, 363
Kilwein, J.H. The perversion of health care: from a social good to a commodity, 285
Kim, C.-K. *see* Lee, S.D.
Kim, W.B. *see* Lee, S.D.
Kith, P. *see* Weigle, D.S.
Kodama, Y. *see* Kuranari, M.
Krska, J. *see* Stewart, D.
Kuranari, M., Chiba, S., Ashikari, Y., Kodama, Y., Sakata, T. & Takeyama, M. Clearance of phenytoin and valproic acid is affected by a small body weight reduction in an epileptic obese patient: a case study, 83

Lanao, J.M. *see* Fdez de Gatta, M.M.
Lawrence, C.J. *see* Trewin, V.F.
Lee, E.D. *see* Lee, S.D.
Lee, K.K.C. *see* Chan, T.Y.K.
Lee, M.G. *see* Lee, S.D.
Lee, S.D., Lee, W.I., Shim, H.J., Lee, E.D., Kim, W.B., Yang, J., Kim, C.-K. & Lee, M.G. Pharmacokinetics of four metabolites of DA-125, a new anthracycline antineoplastic agent after single and multiple intravenous administration to rats, 201
Lee, W. I. *see* Lee, S.D.
Lees, K.R. *see* Dyker, A.G.
Lewis, H.M. *see* Stewart, D.G.
Li Wan Po, A. *see* Cheah, S.Y.
Li Wan Po, A. *see* Zhang, W.Y.
Lien, E.J. *see* Lien, L.L.
Lien, L.L. & Lien, E.J. Hormone therapy and phytoestrogens, 101
López, E. *see* Sánchez-Alcaraz, A.
Loucas, V.A. *see* Pramar, Y.V.
Luyckx, M. *see* Delval, F.
Luyckx, M. *see* Odou, P.
Lyons, R.F., Rumore, M.M. & Merola, M.R. An analysis of drug information desired by the patient. (Are patients being told everything they wish to know under OBRA '90?), 221

Manche, A. *see* Karkos, C.
Mandal, T.K. Effect of tablet integrity on the dissolution rate of sustained-release preparations, 155
Marcilio, C. *see* de Oliveira, I.R.
Martin, H.J. *see* Allwood, M.C.
Martin, U. *see* Eagles, C.J.
Martinelli, E.F. *see* Steger, P.J.K.
Maxwell, S. *see* Rudd, J.H.F.
Mayer, J.A. *see* Souvignier, S.T.
Mendez, M.E. *see* Fdez de Gatta, M.M.
Merola, M.R. *see* Lyons, R.F.
Messori, A., Trippoli, S. & Tendi, E. G-CSF for the prophylaxis of neutropenic fever in patients with small cell lung cancer receiving myelosuppressive antineoplastic chemotherapy: meta-analysis and pharmacoeconomic evaluation, 57
Milne, K. *see* Stewart, D.
Miranda, A.M.A. *see* de Oliveira, I.R.
Miranda-Scippa, A.M.A. *see* de Oliveira, I.R.
Mirazi, N. *see* Azizabadi-Farahani, M.
Moore, A. *see* Karkos, C.
Moore, R.A. *see* Wiffen, P.J.
Mühlebach, S.F. *see* Steger, P.J.K.

Nahata, M.C. Drug combinations in India, 283
Nahata, M.C. Guidelines for antimicrobial prophylaxis, 255
Nelson, B.J. *see* Peterson, G.M.

Odou, P., Frimat, B., Fontaine, B., Luyckx, M., Brunet, C., Robert, H., Dine, T., Gressier, B., Cazin, M. & Cazin, J.C. Determination of clozapine in serum by radioreceptor assay versus high-performance liquid chromatography: possible detection of hydroxy-metabolites, 337
Oishi, R. *see* Sendo, T.
Orman, M.N. *see* Burgaz, S.
Otero, M.J., Santos Buelga, D., Vázquez, M.A., Barrueco, M. & Dominguez-Gil, A. Application of population pharmacokinetics to the optimization of theophylline therapy, 113
Otsubo, K. *see* Sendo, T.
Özdamar, N.Y. *see* Burgaz, S.

Pearce, V. *see* Trewin, V.F.
Pereira, E.L.A. *see* de Oliveira, I.R.
Perl, E. *see* Dorevitch, A.
Peterson, G.M., Bergin, J.K., Nelson, B.J. & Stanton, L.A. Improving drug use in rheumatic disorders, 215
Peterson, G.M. *see* Jacobson, G.A.
Phillips, R. *see* Cheah, S.Y.
Pramar, Y.V., Loucas, V.A. & Word, D. Chemical stability and adsorption of atracurium besylate injections in disposable plastic syringes, 173

Quintana, B. *see* Sánchez-Alcaraz, A.

Raleigh, F. Pill or people?—The choice is ours, 1
Ribeiro, M.G. *see* de Oliveira, I.R.
Richardson, J. & Truman, C. An audit of discharge medication for secondary prophylaxis post-myocardial infarction, 413
Robert, H. *see* Odou, P.
Robison, L.M. *see* Sclar, D.A.
Rodriguez, I. *see* Sánchez-Alcaraz, A.
Romano, S. *see* Fdez de Gatta, M.M.
Rømsing, J. Assessment of nurses' judgement for analgesic requirements of postoperative children, 159
Rudd, J.H.F., Maxwell, S. & Kendall, M. The causes and management of atrial fibrillation, 37
Rumore, M.M. *see* Lyons, R.F.

Sakata, T. *see* Kuranari, M.
Samuel-Lajeunesse, B. *see* de Oliveira, I.R.

Sánchez-Alcaraz, A., Quintana, B., Rodriguez, I. & López, E. Plasma concentrations of vigabatrin in epileptic patients, 393
Santos Buelga, D. *see* Otero, M.J.
Sargin, H. *see* Burgaz, S.
Saulnier, F. *see* Delval, F.
Sclar, D.A., Robison, L.M. & Skaer, T.L. Pharmacy consultation and over-the-counter medication purchasing outcomes, 177
Sendo, T., Adachi, K., Otsubo, K., Aoyama, T. & Oishi, R. In-line filter occlusion during intravenous delivery of injectable menatetrenone (vitamin K_2), 9
Shim, H.J. *see* Lee, S.D.
Skaer, T.L. *see* Sclar, D.A.
Souvignier, S.T., Mayer, J.A. & Eckhardt, L. Educating the public about skin cancer prevention: a role for pharmacists, 399
Stanton, L.A. *see* Peterson, G.M.
Steger, P.J.K., Martinelli, E.F. & Mühlebach, S.F. Stability of high-dose morphine chloride injection upon heat sterilization: comparison of UV-spectroscopy and HPLC, 73
Stewart, D., Milne, K., Krska, J. & Downie, G. Adherence to the Grampian joint drug formulary in general practice, 79
Stewart, D.G. & Lewis, H.M. Vitamin D analogues and psoriasis, 143

Takeyama, M. *see* Kuranari, M.
Tendi, E. *see* Messori, A.
Thorpe, J.A.C. *see* Karkos, C.
Toivola, B. *see* Weigle, D.S.
Tolley, K.H. *see* Baines, D.L.
Torun, M. *see* Burgaz, S.
Trewin, V.F., Lawrence, C.J., Veitch, G.B.A. & Pearce, V. Changes in prescribing patterns of oral hypoglycaemics in elderly patients, over a period of 10 years: matching with general practitioners' perceptions of their own prescribing, 243
Trippoli, S. *see* Messori, A.
Truman, C. *see* Richardson, J.
Truter, I. & van W. Kotze, T.J. An investigation into the prescribing patterns of selective serotonin re-uptake inhibitors in South Africa, 237
Turpin, G. *see* Bruckert, E.

van W. Kotze, T.J. *see* Truter, I.
Vanbeckbergen, D. *see* Galanti, L.M.
Vázquez, M.A. *see* Otero, M.J.
Veitch, G.B.A. *see* Trewin, V.F.

Walker, R. *see* Braybrook, S.
Weigle, D.S., Hooton, T.M., Toivola, B., Kith, P. & Buchwald, D. Frequency of thyroid disease among Southeast Asian primary care patients, 29
Wennberg, M. *see* Carlsten, A.
Whynes, D.K. *see* Baines, D.L.
Wiffen, P.J. & Moore, R.A. Demonstrating effectiveness—the concept of numbers-needed-to-treat, 23
Wong, J. & Brown, G. Does once-daily dosing of aminoglycosides affect neuromuscular function?, 407
Word, D. *see* Pramar, Y.V.

Yang, J. *see* Lee, S.D.
Yardin, S. *see* Burgaz, S.

Zhang, W.Y. & Li Wan Po, A. Analgesic efficacy of paracetamol and its combination with codeine and caffeine in surgical pain—a meta-analysis, 261